

Datalogging/Printing IR Thermometer


Measure, record, print and download non-contact temperature measurements to a PC

Features:

- Built-in laser pointer improves aim and accuracy
- Enables user to scan multiple temperature points of an object or process
- Manually log temperatures or setup time interval for automatic logging
- Datalogger date/time stamps and stores data for later recall, printing or downloading to a PC
- Program up to 4 user defined locations and record up to 99 readings per location
- Built-in thermal printer prints temperature data with date and time stamp
- Backlighting illuminates display for taking measurements at night or in areas with low background light levels
- Auto Power off to conserve battery life
- Adjustable emissivity
- RS-232 PC interface, with PC Windows[®] 95/98/NT/2000/ME/XP compatible software
- Complete with 4 AA batteries, software, cable, Temperature probe, hard case, and one paper roll 1.5x1.2" (38x30mm)D; Optional AC adaptor



Convenient portable handheld size.



Includes software for downloading data to a PC.

CE

Specifications	
Range (InfraRed):	-40 to 932°F (-40 to 500°C)
Thermistor:	-4 to 300°F (-20 to 150°C)
Basic Accuracy:	IR: ±2% of rdg or ±4°F/2°C whichever is greater Thermistor: ±1.4°F/0.8°C
Max. Resolution:	0.1°F/°C (<100°); 1°F/°C
Emissivity:	0.3 to 1.0 Adjustable
Field of View (Distance to Target):	8:1
Printer:	1.5" (38mm) Thermo-Printer
RS-232 PC Interface:	Yes
Dimensions:	8.2x2.8x2.1" (208x70x53mm)
Weight:	9.2oz (260g)

Ordering Information:

- 42582**Datalogging/Printing IR Thermometer
42582-NISTDatalogging/Printing IR Thermometer with NIST Certificate
CA899Large Vinyl Case with shoulder strap
159118117VAC Adaptor
422377Thermal Paper Roll, 2pk, 1.5" (38mm) width

EXTECH INSTRUMENTS CORPORATION
 285 Bear Hill Road, Waltham, MA 02451-1064, U.S.A.
 Phone: 781-890-7440 • FAX 781-890-7864

ISO 9001:2000 CERTIFIED

"Make mine an Extech!"™
www.extech.com



03/30/06-R1